

Tenda



IT7-PRS

4MP PoE Bullet Security Camera



IT7-PRS

4MP PoE Bullet Security Camera

Product Description


4MP Bullet Security Camera IT7-PRS is a high-performance 4MP (2560x1440) engineering camera that integrates such functions as infrared night vision, motion detection, remote audio pickup and PoE power supply. It is commonly used in indoor and outdoor monitoring scenarios, such as factories, courtyards, shops, buildings, and some SMB projects, where contractors can also use their mobile phones for remote real-time monitoring.

Selling Points



Clear Monitoring Details from 4MP UHD Images

Equipped with a high-performance CMOS image sensor, the camera can display 4MP UHD images (2560*1440) with more monitoring details.



Many Advantages With Standard PoE Power Supply



Connect To the PoE Network Video Recorder (NVR) for Small Networking

For such small monitoring scenarios as small shops and restaurants. Monitoring requirements can be met by simply connecting the camera to the PoE NVR.



Connect To the PoE Switch for Medium and Large Networking

For such medium and large monitoring scenarios as markets, industrial zones and car parks, you can connect the camera to the PoE switch for networking.

Selling Points




Audio Pickup Over 5 m, Sync Audio and Video

With an inbuilt highly sensitive microphone which supports remote audio pickup over 5 m, the camera can sync audio and video.



Compatible With NVRs of Other Brands With ONVIF Supported

It can be used with mainstream NVRs in the market, featuring high compatibility.



Remote Control for Light of Heart

The camera supports remote control on the app to view real-time monitoring. Once the camera detects an abnormal event, it will push the alarm notification remotely.



H.265 Coding Technology for Smooth Video and Efficient Data Storage

Compared with H.264, the new-generation H.265 saves 50% in video data size, which further smoothes the videos with bandwidth saved and saves the data storage space.

Selling Points




IP66 Waterproof and Dustproof

With IP66 waterproof and dustproof design, the camera can withstand rainy, sunny, stormy, and even snowy weathers.



Whole Day Monitoring to Adapt to Multiple Monitoring Scenarios

Equipped with four high-power infrared lights, the camera has a night vision distance up to 50 m and can easily adapt to the outdoor environment.



Wall-Mounting/Ceiling-Mounting

The camera can be either wall-mounted or ceiling-mounted, quite flexible and convenient.

Specification

Hardware Specifications

Ports	Power: DC 12V 1A Ethernet: 1*RJ45 100M Ethernet port on tail line
Lens	4mm@F2.2/6mm@F2.0
Product Size	85×85×166mm

Video Specifications

Resolution	2560*1440
Coding standard	H.265/H.264
Day and Night Shift Mode	Built-in IR-CUT double filter
Noise Reduction	3D digital noise reduction
DWDR	Support
Backlight Compensation	Support
ROI	Support

Others

Smart Alarm	Motion detection&Human detection&Customized area detection
Waterproof level	IP66
Audio	Built-in microphone
Network protocol	RTSP,HTTP, DHCP, DDNS, ONVIF
Internet Network protocol	IPV4
Add device method	Wired
Infrared Night Vision Distance	50 Meters
Temperature	Operating temperature: -20°C to 60°C Storage temperature: -40°C to 70°C
Humidity	Operating humidity: 10%-95%RH (non-condensing) Storage humidity: 3% ~ 95%RH (non-condensing)
Certification	CE, RoHs, FCC
Package Contents	Security Camera, Waterproof kit, Quick installation guide Public license notice

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int'l E-City,
#1001 Zhong Shan Yuan Rd.,Nanshan District,She nzhen China.

E-mail:support@ tenda.com.cn

Tel:+86-755-2 765 7098

Fax:+86-755- 2765 7178

PC:518055

